

An Annotated Bibliography of the Family Serranidae in the Western Atlantic, with Emphasis on 1980 to 1990

JUAN M. POSADA LOPEZ
Department of Marine Sciences
University of Puerto Rico
Mayagüez, Puerto Rico 00709

INTRODUCTION

Bortone *et al.* (1980)* published a comprehensive bibliography on the families Serranidae and Lutjanidae, which included references published from 1775 to 1979. The present review is a compilation of selected references on the subfamilies Serraninae and Epinephelinae in the Western Atlantic. This bibliography complements that of Bortone *et al.* (1980), extending their review to 1990 and adding earlier references not originally cited.

Information was obtained from established databases (Zoological Record, Biological Abstracts, Aquatic Sciences and Fisheries Abstracts, Dissertation Abstracts) and from the personal collections of interested colleagues. More than 200 references are cited which are arranged alphabetically by author, numbered, and indexed by keywords and by species. References are limited to the following subject areas (= Keywords) – age and growth, aggregation, behavior, biology, color pattern, distribution, egg trading, feeding, fisheries, general, larvae, life history, management, mortality, physiology, reproduction, sex reversal, spawning, and toxics. References related to parasites are not included.

INTRODUCCION

Bortone *et al.* (1980)* publicó un listado bibliográfico que abarca la extensa información existente, a nivel global, para las familias Serranidae y Lutjanidae, entre 1775 y 1979. La presente revisión bibliográfica, la cual se limita a las publicaciones que hacen referencia a las subfamilias Serraninae y Epinephelinae en el Atlántico Occidental, aporta algunos títulos a la anterior revisión y la complementa con los aparecidos después de 1980, al presente.

La información fué obtenida de conocidas bases de datos (Zoological Record, Biological Abstracts, Aquatic Sciences and Fisheries Abstracts, Dissertation Abstracts) y de colecciones personales de colegas interesados. Más de 200 referencias son citadas, las cuales están ordenadas alfabéticamente por autor y numeradas. Se incluye un índice por tópicos y por especies. Las referencias están limitadas a las siguientes palabras claves – edad y crecimiento, agregaciones, conducta, biología, patrón de coloración, distribución, dispersión de huevos, alimentación, pesquerías, general, larvas, historias de vida, manejo, mortalidad, fisiología, reproducción, reversión de sexo, desove, y toxinas. Referencias relacionadas con parásitos no fueron consideradas.

ACKNOWLEDGMENTS

I thank the following people for their interest in this review – Dr. Yvonne Sadovy, Dr. John Tucker, Dr. Richard S. Appeldoorn and Dr. George R. Sedberry. I also thank the Department of Marine Sciences for their economic support.

*Bortone S. A., K. A. Armsby, and M. B. Bortone. 1980. An indexed bibliography of snapper (Lutjanidae) and grouper-sea bass (Serranidae) biology. Sea Grant Report, No. 30. State University System of Florida. Sea Grant College.

SUBJECT INDEX

- Age-and-Growth** – 4, 11, 25, 26, 41, 51, 72, 74, 89, 115, 116, 117, 118, 119, 120, 121, 132, 133, 138, 140, 141, 144, 153, 154, 155, 159, 166, 175, 176, 177, 190, 191, 194, 204, 208.
- Aggregation** – 3, 16, 131, 151, 180, 183.
- Behavior** – 29, 37, 38, 39, 49, 52, 53, 54, 56, 57, 59, 60, 61, 62, 63, 68, 70, 76, 78, 87, 91, 107, 108, 109, 156, 158, 161, 162, 172, 181, 184, 196.
- Biology** – 27, 32, 46, 67, 141, 144, 147, 194, 197.
- Color Pattern** – 23, 70, 76, 78, 172, 184, 187.
- Distribution** – 1, 5, 8, 17, 23, 24, 31, 32, 33, 35, 44, 47, 65, 66, 69, 71, 79, 81, 90, 91, 98, 105, 110, 124, 126, 127, 129, 130, 134, 145, 148, 149, 160, 168, 189, 193, 196, 197, 206, 208.
- Egg Trading** – 39, 58, 59, 60, 86, 202.
- Feeding** – 2, 14, 21, 84, 120, 125, 135, 136, 150, 152, 155, 166, 169, 171, 179.
- Fisheries** – 5, 8, 9, 10, 12, 13, 15, 18, 22, 26, 35, 36, 41, 43, 45, 69, 71, 87, 92, 93, 94, 95, 111, 112, 113, 114, 119, 122, 127, 128, 138, 139, 140, 141, 142, 144, 151, 153, 154, 159, 164, 169, 170, 178, 180, 186, 190, 191, 192, 193, 205, 209, 211, 212.
- General** – 19, 20, 26, 31, 32, 67, 77, 79, 91, 103, 105, 110, 122, 129, 137, 139, 143, 145, 146, 147, 148, 165, 168, 189, 198.
- Larvae** – 66, 80, 81, 86, 90, 97, 100, 101, 102, 104, 106, 124, 135, 156, 202, 203, 204.
- Life History** – 42, 82, 106, 128, 210.
- Management** – 6, 13, 94, 112, 142, 143, 144, 159, 173, 186, 190.
- Mortality** – 72, 112, 119, 120, 121, 132, 138, 140, 141, 163, 190.
- Physiology** – 137.
- Reproduction** – 3, 6, 7, 16, 27, 28, 29, 30, 32, 37, 38, 39, 40, 42, 52, 53, 55, 56, 57, 58, 59, 60, 61, 63, 64, 68, 72, 73, 75, 80, 82, 83, 86, 88, 89, 100, 107, 108, 109, 120, 123, 128, 131, 132, 138, 140, 141, 151, 157, 158, 159, 166, 174, 177, 182, 185, 188, 197, 200, 201, 202, 207.

Sex Reversal – 167, 203.

Spawning – 16, 131, 151, 167, 180, 203, 207.

Toxicity – 48.

SPECIES INDEX

Alphestes (Epinephelus) afer – 32, 65, 79, 91, 130, 168, 189.

Bullisichthys caribbaeus – 65.

Centropristis fuscus – 168.

Centropristis ocyurus – 168.

Centropristis philadelphica – 130, 168, 171.

Centropristis striata – 9, 35, 51, 77, 86, 93, 102, 113, 128, 130, 168, 179, 203, 208, 209, 210.

Cephalopholis (Epinephelus) fulvus – 12, 32, 36, 39, 44, 48, 50, 65, 79, 91, 130, 138, 140, 141, 144, 160, 168, 189, 190, 191, 192, 194.

Dermatolepis (Epinephelus) inermis – 23, 32, 50, 65, 79, 91, 130, 168.

Diplectrum – 19, 20, 32, 46, 65, 73, 79, 91, 130, 153, 168.

Diplectrum bivittatum – 20, 32, 130, 168.

Diplectrum formosum – 19, 20, 32, 46, 65, 73, 79, 91, 130, 153, 168.

Diplectrum radiale – 32, 79.

Epinephelus – 3, 12, 13, 14, 15, 21, 23, 25, 26, 27, 28, 30, 32, 35, 36, 37, 39, 40, 43, 44, 48, 50, 65, 66, 68, 74, 75, 79, 80, 91, 93, 94, 95, 97, 98, 99, 115, 117, 119, 121, 130, 131, 132, 138, 140, 141, 144, 147, 153, 156, 157, 160, 162, 164, 166, 168, 172, 174, 175, 176, 183, 187, 189, 190, 191, 192, 194, 204, 211, 212.

Epinephelus adscensionis – 32, 35, 48, 50, 65, 79, 91, 130, 144, 168, 189.

Epinephelus drummondhayi – 35, 65, 93, 94, 119, 121, 130, 144, 168, 172, 187.

Epinephelus flavolimbatus – 32, 35, 65, 79, 98, 130, 168.

Epinephelus guttatus – 13, 32, 35, 40, 48, 65, 68, 79, 91, 130, 138, 140, 141, 144, 157, 160, 168, 175, 176, 183, 189, 190, 191.

Epinephelus itajara – 32, 37, 65, 79, 91, 130, 166, 168, 194.

Epinephelus morio – 15, 21, 25, 32, 43, 48, 65, 66, 74, 79, 91, 99, 130, 138, 140, 160, 164, 168, 189, 194, 211, 212.

Epinephelus mystacinus – 32, 65, 79, 168.

Epinephelus nigritus – 32, 35, 48, 65, 79, 94, 115, 117, 130, 168.

Epinephelus niveatus – 14, 32, 35, 65, 79, 93, 94, 98, 119, 121, 130, 132, 144, 168.

Epinephelus striatus – 3, 26, 27, 28, 30, 32, 40, 50, 65, 79, 80, 91, 99, 130, 131, 138, 140, 141, 144, 153, 156, 160, 162, 168, 174, 176, 189, 190, 194, 204.

Gonioplectrus hispanus – 32, 79, 104, 168.

Hypoplectrus – 32, 39, 53, 54, 55, 79, 109, 123, 130, 168, 189, 199.

Hypoplectrus aberrans – 39, 79.

- Hypoplectrus chlorurus* – 39, 79.
Hypoplectrus gummigutta – 39, 79.
Hypoplectrus guttavarius – 39, 79, 109.
Hypoplectrus indigo – 39, 79.
Hypoplectrus nigricans – 39, 53, 55, 79, 123.
Hypoplectrus puella – 32, 39, 79, 189.
Hypoplectrus unicolor – 32, 39, 79, 130, 168.
Liopropoma – 32, 50, 79, 91, 130, 168.
Liopropoma eukrines – 50, 130, 168.
Liopropoma mowbrayi – 168.
Liopropoma rubre – 32, 79, 91, 168.
Mycteroperca – 23, 32, 33, 34, 35, 42, 48, 50, 65, 67, 69, 70, 72, 79, 88, 89, 91, 93, 94, 97, 99, 100, 118, 120, 130, 135, 136, 138, 140, 141, 144, 150, 153, 160, 166, 167, 168, 176, 177, 189, 195, 207.
Mycteroperca bonaci – 32, 33, 48, 65, 79, 91, 94, 99, 118, 130, 168, 189.
Mycteroperca cidi – 32, 33, 65.
Mycteroperca interstitialis – 32, 33, 50, 65, 79, 91, 130, 160, 168, 189.
Mycteroperca microlepis – 32, 33, 42, 65, 70, 88, 93, 94, 100, 130, 135, 136, 138, 140, 144, 150, 153, 166, 167, 168, 177, 189, 207.
Mycteroperca phenax – 32, 33, 35, 50, 65, 70, 72, 93, 94, 120, 130, 144, 168.
Mycteroperca rubra – 32, 33, 65, 79, 91, 168.
Mycteroperca tigris – 23, 32, 33, 34, 48, 65, 67, 69, 79, 91, 168, 189, 195.
Mycteroperca venenosa – 32, 33, 48, 65, 79, 91, 130, 138, 140, 141, 144, 160, 168, 189.
Paralabrax (Serranus) dewegeri – 32, 65, 168.
Paranthias furcifer – 32, 48, 50, 65, 79, 91, 130, 168, 189.
Petrometropon (Epinephelus) cruentatum – 32, 36, 50, 65, 79, 91, 95, 138, 140, 141, 144, 147, 168, 189, 194.
Pikea mexicana – 32, 79, 168.
Pikea cubensis – 79.
Schultzea beta – 24, 168.
Serranus – 24, 32, 39, 50, 58, 79, 82, 83, 85, 91, 96, 130, 158, 161, 168, 189, 193, 206.
Serranus annularis – 50, 79, 130, 168.
Serranus atrobranchus – 32, 168.
Serranus baldwini – 32, 91, 130, 158, 168.
Serranus fasciatus – 83.
Serranus flaviventris – 32, 168.
Serranus fuscus – 79.
Serranus luciopercanus – 79.
Serranus notospilus – 24, 32, 130, 168, 193.
Serranus phoebe – 32, 50, 79, 130, 168.

- Serranus subligarius* – 82, 130, 168, 206.
Serranus tabacarius – 32, 79, 85, 91, 130, 168.
Serranus tigrinus – 32, 39, 79, 91, 96, 161, 168, 189.
Serranus tortugarum – 32, 58, 91, 168.
Serraniculus pumilio – 32, 130, 168.

REFERENCES

1. Acero, A. and J. Garzon. 1983. Inventory of reef fishes of the Colombian Caribbean – Preliminary results. *Proc. Assoc. Isl. Mar. Lab. Caribb., Miami, Florida*. 17:5.
2. Adams, S. M. 1976. Feeding ecology of eelgrass fish communities. *Transactions Am. Fish. Soc.* 105(4):514- 519.
3. Aguilar-Perera, A. 1994. La agregacion reproductiva del mero en Majahual, Quintana Roo, Mexico. *Proc. Gulf Carib. Fish. Inst.* 43:112-122.
4. Appeldoorn, R. S. 1987. Modification of a seasonally oscillating growth function for use with mark-recapture data. *J. Cons. Int. Explor. Mer.* 43(3) –194-198.
5. Baisre, J. A. and J. Paez. 1981. Los recursos pesqueros del archipiélago cubano. *WECAF Stud.* 8:79 pp.
6. Bannerot, S., W. W. Fox, Jr., and J. E. Powers. 1987. Reproductive strategies and the management of snappers and groupers in the Gulf of Mexico and Caribbean. Pages 561-603, in J.J. Polovina, and S. Ralston, ed. *Tropical snappers and groupers. Biology and fisheries management.* Westview Press, Boulder, CO. and London.
7. Bannerot, S. P. 1984. *The dynamics of exploited groupers (Serranidae) – An investigation of the protogynous hermaphroditic reproductive strategy.* Ph.D. Dissertation. Univ. Miami, Coral Gables. 393 pp.
8. Barans, C. A. 1981. A preliminary approach to assessment of rocky outcrop groundfish off the Southeastern United States. Pages 907-924, in J.B. Suomala, ed. *Meeting on hydroacoustical methods for the estimation of marine fish populations.*
9. Barans, C. A. 1985. Visual population assessment of black sea bass of the mid-shelf live bottom areas - phase II. S.C. Sea Grant Consortium Narrative Summary Report SD 84-16.
10. Barans, C. A. and D. V. Holliday. 1983. A practical technique for assessing some snapper/grouper stocks. *Bull. Mar. Sci.* 33(1):176-181.
11. Bauza, J. 1961. Contribuciones al conocimiento de los otolitos de peces actuales. *Bol. Soc. Esp. Hist. Nat. Secc. Biol.* 59:153-168.
12. Beets, J., A. Friedlander, and W. Tobias. 1994. Stock analysis of coney in the U.S. Virgin Islands. *Proc. Gulf Carib. Fish. Inst.* 43:403-416.

Non-Peer Reviewed Section

13. Beets, J. and A. Friedlander. 1992. Stock analysis and management strategies for red hind, *Epinephelus guttatus*, in the U.S. Virgin Islands. *Proc. Gulf Carib. Fish. Inst.* 42:66-79.
14. Bielsa, L. M. and R. F. Labisky. 1987. Food habits of blueline tilefish, *Caulolatilus microps* and snowy grouper, *Epinephelus niveatus*, from the lower Florida Keys. *Northeast Gulf Sci.* 9(2):77-87.
15. Blanco, W., R. Valdes, and A. Perez. 1980. Evaluacion de la pesqueria de *Epinephelus morio* (Perciformes, Serranidae) en el banco de Campeche, Golfo de Mexico. *Rev. Cub. Invest. Pesq.* 5(1):38-45.
16. Bohnsack, J. A. 1989. Protection of grouper spawning aggregations. Coastal Resources Division Contrib. 88-89- 06.
17. Bohnsack, J. A., D. E. Harper, D. B. McClellan, D. L. Sutherland, and M. White. 1984. Distribution, frequency and abundance of reef fishes in Looe Key National Marine Sanctuary, Florida. *Advances in Reef Sciences, Miami, Florida.* 11.
18. Bohnsack, J. A., D. L. Sutherland, A. Brown, D. E. Harper, and D. B. McClellan 1986. An analysis of the Caribbean biostatistical database for 1985. Coastal Resource Division Report for the Caribbean Fishery Management Council Contribution. No. CRD-86/87-10.
19. Bortone, S. A. 1971. Studies on the biology of the sand perch, *Diplectrum formosum* (Perciformes – Serranidae). *Fla. Dep. Nat. Resour., Mar. Res. Lab., Tech. Ser.* 65:27 pp.
20. Bortone, S. A., P. Rebenack, and D. M. Siegel. 1981. A comparative study of *Diplectrum formosum* and *D. bivittatum* (Pisces – Serranidae). *Florida Scient.* 44(2):97-103.
21. Brule, T. and L. G. Rodriguez. 1990. Regimen alimenticio de los juveniles de mero, *Epinephelus morio* (Valenciennes, 1828), del banco de Campeche – Primeros resultados *Proc. Assoc. Isl. Mar. Lab. Caribb, La Habana.* 23:89.
22. Brusher, H. A. and B. J. Palko. 1987. Results from the 1984 and 1985 charterboat survey in southeastern U.S. waters and the U.S. Caribbean Sea. *Mar. Fish. Rev.* 49(2):109-117.
23. Bullock, L. H. and M. F. Godcharles. 1982. Range extensions for four sea basses (Pisces – Serranidae) from the eastern Gulf of Mexico with a color note on *Hemanthias leptus* (Ginsburg). *Northeast Gulf Sci.* 5 (2):53-56.
24. Burgess, G. H., G. W. Link, and S. W. Ross. 1979. Additional marine fishes new or rare to Carolina waters. *Northeast Gulf Sci.* 3(2):74-86.
25. Burton, M. L. and T. Stiles. 1994. Age, growth and mortality of red grouper from the southeastern U.S. *Proc. Gulf Carib. Fish. Inst.* 43:123-137.
26. Bush, P. and G. Ebanks. The Cayman Islands Nassau grouper study - A progress report. *Proc. Gulf Carib. Fish. Inst.* 43:387-388.

27. Carter, J. 1994. Aspects of the biology of Nassau grouper from Belize. *Proc. Gulf Carib. Fish. Inst.* **43**:65-111.
28. Carter, J. 1986. Moonlight mating of the multitudes. *Anim. King* **89** (6):62-69.
29. Carter, J. 1988. Grouper mating ritual on a Caribbean reef. *Underwater Nat.* **17**(1):8-11.
30. Carter, J. 1989. Grouper sex in Belize. *Nat. Hist.* **60**-68.
31. Cervigon, F. 1964. Nuevas citas de peces para Venezuela y datos sobre especies poco conocidas. *Noved. Cient. Mus. Hist. Nat. La Salle, Ser. Zool.* **31**:1-18.
32. Cervigon, F. In press. Los peces marinos de Venezuela. *Fundacion Cientifica Los Roques, C.*
33. Cervigon, F. and E. Velasquez. 1966. Las especies del genero *Mycteroperca* de las costas de Venezuela (Pisces – Serranidae). *Mem. Soc. Cienc. Nat. La Salle.* **26**(74):77-143.
34. Chavez, H. 1966. Peces colectados en el arrecife Triangulos Oeste y en Cayo Arenas, sonda de Campeche, Mexico. *Acta Zool. Mex.* **8**(1):1-12.
35. Chester, A. J., G. R. Huntsman, P. A. Tester, and C. S. Manooch, III. 1984. South Atlantic Bight reef fish communities as represented in hook-and-line catches. *Bull. Mar. Sci.* **34**(2):267-279.
36. Clavijo, I. E., W. J. Tobias, and C. A. Jennings. 1986. Virgin Islands Commercial Fisheries Research and Development Project. PL 88-309. Project No. 2-411-R-2. Annual Report. April 1, 1985 to March 31, 1986. Report submitted to NMFS. 15 pp.
37. Colin, P. L. 1994. Preliminary investigations of reproductive activity of the jewfish. *Proc. Gulf Carib. Fish. Inst.* **43**:138-147.
38. Colin, P. L. 1982. Aspects of the spawning of western Atlantic reef fishes. Pages 69-78, in G.R. Huntsman, W.R. Nicholson, and W.W. Fox, Jr., ed. *The biological bases for reef fishery management*. U.S. Dept. Commer., NOAA Tech. Memo. NMFS, NOAA-TS-NMFS-SEFC-80.
39. Colin, P. L. and I. E. Clavijo. 1988. Spawning activity of fishes producing pelagic eggs on a shelf edge coral reef, southwestern Puerto Rico. *Bull. Mar. Sci.* **43**(2):249-279.
40. Colin, P. L., D. Y. Shapiro, and D. Weiler. 1987. Aspects of the reproduction of two groupers, *Epinephelus guttatus* and *E. striatus* in the West Indies. *Bull. Mar. Sci.* **40**(2):220-230.
41. Collins, M. R., S. B. Van Sant, and D. J. Schmidt. 1990. Age validation of tag-recaptured reef fish off South Carolina. *70th. Annual Meeting American Society of Ichthyologists and Herpetologists.* **73**.

42. Collins, M. R., C. W. Waltz, W. A. Roumillat, and D. L. Stubbs. 1987. Contribution to the life history and reproductive biology of gag, *Mycteroperca microlepis* (Serranidae) in the South Atlantic Bight. *Fish. Bull.* 85(3):648-653.
43. Contreras, M., F. Arreguin-Sanchez, J. A. Sanchez, and V. Moreno. 1994. Mortality and population size of the red grouper fishery from Campeche Bank. *Proc. Gulf Carib. Fish. Inst.* 43:392-401.
44. Cordova, F. G. 1986. Distribution of the coney, in the northwestern, Gulf of Mexico. *Northeast Gulf Sci.* 8(2):161-162.
45. Craig, A. E. 1969. The grouper fishery of Cay Glory, British Honduras. *Annals Assn. Am. Geo.* 59(2):252-263.
46. Darcy, G. H. 1985. Synopsis of biological data on the sand perch, *Diplectrum formosum* (Pisces – Serranidae). U.S. Dept. Commer., NOAA Tech. Memo. NMFS, NOAA-TS-NMFS-SEFC. 143:1-21.
47. Darcy, G. H. and E. J. Gutherz. 1984. Abundance and density of demersal fishes on the west Florida shelf, January 1978. *Bull. Mar. Sci.* 34 (1):81-105.
48. De Sylva, D. P. and J. B. Higman. 1980. A plan to reduce ciguatera in the tropical Western Atlantic region. *Proc. Gulf Carib. Fish. Inst.* 32:139-153.
49. Demski, L. S. and J. G. Dulka. 1986. Thalamic stimulation evokes sex-color change and gamete release in a vertebrate hermaphrodite. *Experientia.* 42(11-12):1285-1287.
50. Dennis, G. D. and T. J. Bright. 1988. Reef fish assemblages on hard banks in the northwestern Gulf of Mexico. *Bull. Mar. Sci.* 43(2):249-279.
51. Dery, L. M. and J. P. Mayo. 1988. Age determination methods for north west Atlantic species, black sea bass, *Centropristis striata*. U.S. Dept. Commer., NOAA Tech. Memo. NMFS, NOAA-TS-NMFS-SEFC. 72:97-102.
52. Erdman, D. S. 1976. Spawning patterns of fishes from the northeastern Caribbean. *Cont. Agrop. Pesq., Dept. Agric. Puerto Rico.* 7(2):3-36.
53. Fischer, E. A. 1979. *Mating system and simultaneous hermaphroditism in the coral reef fish, (Serranidae) with discussion of the systematic status of the species in the genus*. Ph.D. Dissertation. 161 pp.
54. Fischer, E. A. 1980. Speciation in the hamlets (*Hypoplectrus* – Serranidae) a continuing enigma. *Copeia.* 1980(4):649-659.
55. Fischer, E. A. 1980. The relationship between mating system and simultaneous hermaphroditism in the coral reef fish, *Hypoplectrus nigricans* (Serranidae). *Animal Behav.* 28(2):620-633.
56. Fischer, E. A. 1981. Sexual allocation in simultaneously hermaphroditic coral reef fish. *American Nat.* 117(1):64-82.

57. Fischer, E. A. 1984. Local mate competition and sex allocation in simultaneous hermaphrodites. *American Nat.* 124(4):590-596.
58. Fischer, E. A. 1984. Egg trading in the chalk bass, *Serranus tortugarum*, a simultaneous hermaphrodite. *Zeitschrift Tierpsychol.* 66(2):143-151.
59. Fischer, E. A. 1986. Mating systems of simultaneously hermaphroditic serranid fishes. Pages 776-784, in T. Uyeno, R. Arai, T. Taniuchi, and K. Matsuura, ed. *Procee. Second Inter. Conf. Indo-Pacific Fish.*
60. Fischer, E. A. 1987. Mating behavior in the black hamlet - gamete trading or egg trading? *Environ. Biol. Fish.* 18(2):143-148.
61. Fischer, E. A. 1988. Simultaneous hermaphroditism, tit-for-tat, and the evolutionary stability of social systems. *Ethol. Sociobiol.* 9 (2-4):119-136.
62. Fischer, E. A. and C. W. Petersen. 1986. Social behaviour of males and simultaneous hermaphrodites in the lantern bass. *Ethology.* 73 (3):235-246.
63. Fischer, E. A. and C. W. Petersen. 1987. The evolution of sexual patterns in the seabasses. *Bioscience.* 37(7):482-489.
64. Fischer, E. A. and D. H. Preston. 1987. The timing of spawning and egg production as constraints on male mating success in a simultaneously hermaphroditic fish. *Environ. Biol. Fishes.* 20(4):301-310.
65. Fischer, W. 1978. FAO species identification sheets for fishery purposes, western central Atlantic (fishing Area 31).
66. Frias, M. P. 1982. Distribucion larvaria de la cherna americana, *Epinephelus morio* (Valenciennes, 1928) (Pisces - Serranidae) en el Golfo de Mexico. *Rev. Cub. Invest. Pesq.* 7(4):26-39.
67. Garcia, J. P., A. Garcia, L. Siera, and R. Claro. 1990. Caracteristicas biologicas del bonaci gato, *Mycteroperca tigris* (Pisces - Serranidae) en la plataforma SW de Cuba. *Proc. Assoc. Isl. Mar. Lab. Caribb., La Habana.* 23:105.
68. Garcia-Molinar, G. E. 1986. Aspects of the social spacing, reproduction and sex reversal in the red hind, *Epinephelus guttatus* (Linnaeus). M.S. Dissertation. Univ. Puerto Rico, Mayaguez, Puerto Rico, 104 pp.
69. Garzon, J. and A. Acero. 1983. Notes on fishery and commercial fishes of the island of Providencia, Colombia, including new records for the western Caribbean. *Caribb. J. Sci.* 19(3/4):9-20.
70. Gilmore, R. G. and R. S. Jones. 1994. Color variation and associated behavior in the epinepheline groupers *Mycteroperca microlepis* and *Mycteroperca phenax*. *Proc. Gulf Carib. Fish. Inst.* 43:431.
71. Gobert, B. 1994. Grouper resources of Martinique. *Proc. Gulf Carib. Fish. Inst.* 43:446-455.

72. Godcharles, M. F. and L. H. Bullock. Unpub. Age, mortality and reproduction of the scamp, *Mycteroperca phenax* (Pisces – Serranidae). Fla. Dep. Nat. Res. Mar. Lab., St. Petersburg, FL 33701-5095.
73. Gomez, A. 1985. Observaciones sobre el desarrollo gonadal del pez hermafrodita, *Diplectrum formosum* (Linnaeus, 1758) en el nororiente de Venezuela. *Bol. Inst. Oceanogr. Univ. Oriente*. 24(1-2):129-134.
74. Gonsales, P. D. 1982. Age and growth determination of the red grouper, (Valenciennes), from the Campeche Bank of the Gulf of Mexico. *Trudy Zool. Inst. Leningr.* 114:57-66.
75. Gonsales, P. D. 1984. About the hermaphroditism of the tropical fishes of the family Serranidae (*Epinephelus*) and allied genera. *Trudy Zool. Inst. Leningr.* 127:17-22.
76. Graves, J. E. and R. H. Rosenblatt. 1980. Genetic relationships of the color morphs of the serranid fish *Hypoplectrus unicolor*. *Evolution*. 34 (2):240-245.
77. Grier, H. 1984. Small world - *Centropristis striatus melanus*. *Freshwater Mar. Aquar.* 7(12):64- 65.
78. Gudger, E. W. 1929. On the morphology, coloration and behaviour of seventy teleostean fish of Tortugas, Florida. Carnegie Inst. Wash. Publ. 391, *Pap. Tortugas Lab.* 26(5):149-204.
79. Guitart, D. 1979. *Sinopsis de los peces marinos de Cuba*. Editorial Cientifico-Tecnica, Cuba, 562 pp.
80. Guitart, D. and F. Juarez. 1966. Desarrollo embrionario y primeros estudios larvales de la cherna criolla, *Epinephelus striatus* (Bloch)(Perciformes – Serranidae). *Acad. Cienc. Cuba, Estudios Inst. Oceanol. Havana*. 1:35-45.
81. Gutierrez, E. and D. Salabarría. 1982. Distribucion y abundancia de huevos y larvas de peces en la region suroriental de la plataforma de Cuba (Zona A). *Inst. Oceanol., Acad. Cien. Cuba, Havana, Cuba*. 7:71-85.
82. Hastings, P. A. and S. A. Bortone. 1980. Observations on the life history of the belted sandfish, *Serranus subligarius* (Serranidae). *Envirom. Biol. Fishes*. 5:365-374.
83. Hastings, P. A. and C. W. Peterson. 1986. A novel sexual pattern in serranid fishes – simultaneous hermaphrodites and secondary male. *Env. Biol. Fish.* 15(1):59-68.
84. Heck, K. L., Jr. and M. P. Weinstein 1989. Feeding habits of juvenile reef fishes associated with Panamanian seagrass meadows. *Bull. Mar. Sci.* 45(3):629-636.
85. Heiler, W. 1981. Fischgesellschaft für Niedere Tiere Tabakbarsch, *Serranus tabacarius*. *Aquarium Aqua Terra*. 15(138):647.

86. Heitler, W. F. and A. B. Powell. 1981. Egg and larval production at the NMFS Beaufort Laboratory, Beaufort, N.C., USA. *Rapp. P.-v. Reun. Cons. Int. Explor. Mer.* **178**:501-503.
87. High, W. L. and A.J. Beardsley 1973. The behaviour of reef fishes in relation to fish pots. *Science Bull. Nat. Hist. Mus. Los Ang. Cty.* **14**:85 pp.
88. Hoese, H. D., C. E. Richards, and M. Castagna. 1960. Appearance of the gag, *Mycteroperca microlepis*, in coastal waters of Virginia. *Chesapeake Science*.
89. Hood, P. D., L. H. Bullock, and M. F. Godcharles. 1990. Age, growth, and the reproductive biology of scamp, from the west coast of Florida. *70th. Annual Meeting American Society of Ichthyologists and Herpetologists. College of Charleston, Charleston, SC.* 100.
90. Houde, E. D. 1982. Kinds, distributions and abundances of sea bass larvae (Pisces – Serranidae) from the eastern Gulf of Mexico. *Bull. Mar. Sci.* **32**(2):511-522.
91. Humann, P. 1989. *Reef fish identification*. New World Publications, INC, Orlando, FL., 267 pp.
92. Huntsman, G. R. and J. R. Waters. 1987. Development of management plans for reef fishes. Gulf of Mexico and U.S. South Atlantic. Pages 533-560, in J.J. Polovina, and S. Ralston, ed. *Tropical snappers and groupers. Biology and fisheries management*. Westview Press, Boulder, CO. and London.
93. Huntsman, G. R., C. S. Manooch, III., and C. B. B. Grimes. 1984. Yield per recruit models of some reef fishes of the USA South Atlantic bight. *U.S. Serv. Fish. Bull.* **81**(4):679-696.
94. Huntsman, G. R., R. W. Mays, and J. Potts. 1994. Management models for groupers of the United States South Atlantic region. *Proc. Gulf Carib. Fish. Inst.* **43**:193-213.
95. Huntsman, G. R., and W. E. Schaaf. Unpub. Interaction of fishing and protogyny for the graysby. Southeast Fish. Cent. Beaufort Lab., Natl. Mar. Fish. Serv., NOAA, Beaufort, NC 28516-9722.
96. Jande, D. 1979. *Serranus tigrinus* - ein Zackenbarsch in Westentaschenformat. *Aquarien Mag.* **13**(3):156.
97. Johnson, G. D. and P. Keener. 1984. Aid to identification of American grouper larvae. *Bull. Mar. Sci.* **34**(1):106-134.
98. Jones, R. S., E. J. Gutherz, W. R. Nelson, and G. C. Matlock. 1989. Burrow utilization by yellowedge grouper, *Epinephelus flavolimbatus*, in the northwestern Gulf of Mexico. *Environ. Biol. Fishes.* **26**(4):277-284.

99. Jory, D. E. and E. S. Iversen. 1989. Species profiles – life histories and environmental requirements of coastal fishes and invertebrates (south Florida), black, red and Nassau groupers. U.S. Fish Wildl. Serv. Biol. Rep. 82 (11.110). U.S. Army Corps of Engineers, TR EL-82-4. 21 pp.
100. Keener, P., G. D. Johnson, B. W. Stender, E. B. Brothers, and H. R. Beatty. 1988. Ingress of postlarval gag, *Mycteroperca microlepis* (Pisces – Serranidae), through a South Carolina (USA) barrier island inlet. *Bull. Mar. Sci.* 42(3):376-396.
101. Kendall, A. W. Jr. 1977. *Relationships among American serranid fishes based on the morphology of their larvae*. Ph.D. Dissertation. 208 pp.
102. Kendall, A. W., Jr. 1979. Morphological comparisons of North American sea bass larvae (Pisces – Serranidae). NOAA Tech. Rep. NMFS Circ. 428:50 pp.
103. Kendall, A. W., Jr. 1984. Serranidae – development and relationships. *Special Publ. Am. Soc. Ichthyol. Herpetol* 1:499-510.
104. Kendall, A. W., Jr. and M. P. Fahay. 1979. Larva of the serranid fish, *Gonioplectrus hispanus* with comments on its relationships. *Bull. Mar. Sci.* 29:117- 121.
105. LaMonte, F. 1952. *North American game fishes*. Doubleday and Co., Inc., Garden City, N.Y. 202 pp.
106. Leis, J. M. 1987. Review of the early life history of tropical groupers (Serranidae) and snappers (Lutjanidae). Pages 295-327, in J.J. Polovina, and S. Ralston, ed. *Tropical snappers and groupers. Biology and fisheries management*. Westview Press, Boulder, CO. and London.
107. Lejeune, P., J. M. Boverux, and J. Voss. 1980. Observation du comportement reproducteur de *Serranus scriba* Linne (Pisces, Serranidae), poisson hermaphrodite synchrone. *Cybium* 3(10):73-80.
108. Lobel, P. S. 1984. Spawning behaviour of the harlequin bass. *Freshwater Mar. Aquar.* 7(3):34-35.
109. Lobel, P. S. and S. Neudecker. 1985. Diurnal periodicity of spawning activity by the hamlet fish, *Hypoplectrus guttavarius* (Serranidae). NOAA Symposia Ser. *Undersea Res.* 3(1):71-86.
110. Longley, W. H. and S. F. Hildebrand. 1941. Systematic catalogue of the fishes of Tortugas, Florida, with observations on color, habits and local distribution. Carnegie Inst. Wash. Publ. 535, *Pap. Tortugas Lab.* 34:1-331.
111. Low, R. A., Jr. G. F. Ulrich, C. A. Barans, and D. A. Oakley. 1985. Analysis of catch per unit of effort and length composition in the South Carolina commercial handline fishery, 1976-1982. *North. Am. J. Fish. Mgmt.* 5(3A):340-363

112. Low, R. A., Jr. 1981. Mortality rates and management strategies for black sea bass off the southeast coast of the United States. *North. Am. J. Fish. Mgmt.* 1(2):93 -103.
113. Low, R. A., Jr. 1982. The South Carolina fishery for black sea bass (*Centropristis striata*), 1977-1981. *S.C. Mar. Res. Center Tech. Rept.* 53:1-17.
114. Low, R. A., Jr. and G. F. Ulrich. 1983. Deepwater demersal finfish resources and fisheries off South Carolina. *S.C. Mar. Res. Center Tech. Rept.* 57.
115. Manooch, C. S., III; and D. L. Mason. 1987. Age and growth of the warsaw grouper and black grouper from the Southeast region of the United States. *Northeast Gulf Sci.* 9(2):65-75.
116. Manooch, C. S., III. 1987. Age and growth of snappers and groupers. Pages 329-373, in J.J. Polovina, and S. Ralston, ed. *Tropical snappers and groupers. Biology and fisheries management.* Westview Press, Boulder, CO. and London.
117. Manooch, C. S., III. Unpub. Age and growth of the warsaw grouper, *Epinephelus nigritus*, from the southeastern and Gulf of Mexico coasts of the United States. Southeast Fish. Cent. Beaufort Lab., Natl. Mar. Fish. Serv., NOAA, Beaufort, NC 28516-9722.
118. Manooch, C. S., III. Unpub. Age and growth of the black grouper, *Mycteroperca bonaci*, from the southeastern and Gulf of Mexico coasts of the United States. Southeast Fish. Cent. Beaufort Lab., Natl. Mar. Fish. Serv., NOAA, Beaufort, NC 28516-9722.
119. Matheson, R. H., III; and G. R. Huntsman. 1984. Growth, mortality and yield-per-recruit models for speckled hind and snowy grouper from the United States, South Atlantic Bight. *Trans. Am. Fish. Soc.* 113(5):607-616.
120. Matheson, R. H., III; G. R. Huntsman, and C. S. Manooch, III. 1984. Age, growth, mortality, foods and reproduction of the scamp, *Mycteroperca phenax* collected off North Carolina and South Carolina. Second Southeast Stock Assessment Workshop, June 4-8, 1984, Miami. Southeast Fish. Cent., Natl. Mar. Fish. Serv., NOAA, SAW/84/RFR/8. 8.
121. Matheson, R. H. III. 1982. Age, growth and mortality of two groupers, *Epinephelus drummondhayi* Goode and Bean and *Epinephelus niveatus* (Valenciennes), from North Carolina and South Carolina. M.S. Dissertation. North Carolina State Univ., Raleigh, 37 pp.
122. Matos, D. and Y. Sadovy. 1989. CODREMAR/NMFS Interjurisdictional Fisheries Program. Annual Report (April 1, 1988-March 31, 1989). Puerto Rico Fisheries Research Laboratory, CODREMAR. 56 pp.

123. Matsuda, H. 1989. A game analysis of reciprocal cooperation – sequential food - sharing and sex role alternation. *J. Ethol.* 7(2):105-112.
124. McGowan, M. 1983. Ichthyoplankton distribution and abundance over a 24-hour period at the West Flower Garden Reef, Northwest Gulf of Mexico. *Proc. Assoc. Isl. Mar. Lab. Caribb.* 17:7.
125. McHugh, J. L. and D. Conover. 1986. History and condition of food finfishes in the Middle Atlantic region (USA) compared with other sections of the coast. *Fisheries* 11(5):8-13.
126. Mercado, J. E. 1981. Inventario preliminar de la fauna ictica de la bahia de Cartagena y algunas consideraciones ecologicas. *Divulg. Pesq. Inst. Desarr. Recurs. Nat. Renov. Bogota.* 16(2):6.
127. Mercado, J. E. 1981. Los peces comerciales del Golfo de Morrosquillo. *Divulg. Pesq. Inst. Desarr. Recurs. Nat. Renov. Bogota.* 15(1/2/3):1-9.
128. Mercer, L. P. 1978. *The reproductive biology and population dynamics of black sea bass.* Ph.D. Dissertation. Coll. William Mary, Williamsburg, 196 pp.
129. Miller, G. C. 1987. Serranids of the Caribbean. *Freshwater Mar. Aquar.* 10(2):20-23.
130. Miller, G. C. and W. J. Richards. 1980. Reef fish habitat, faunal assemblages, and factors determining distributions in the South Atlantic Bight. *Proc. Gulf Carib. Fish. Inst.* 32:114-130.
131. Miller, W. 1984. Spawning aggregations of the Nassau grouper, *Epinephelus striatus* and associated fishery in Belize. *Advances in Reef Sciences*, Miami, Florida. 19.
132. Moore, C. M. 1982. Age, growth, mortality and reproduction of snowy grouper, *Epinephelus niveatus* (Valenciennes, 1828), in the lower Florida Keys. Masters Thesis. 135 pp.
133. Moore, C. M. and R. F. Labisky. 1984. Population parameters of a relatively unexploited stock of snowy grouper in the lower Florida Keys. *Trans. Am. Fish. Soc.* 113(3):322-329.
134. Moore, R. H. 1975. New records of three marine fish from Texas waters with notes on some additional species. *Texas J. Sci.* 26(1-2):155-163.
135. Mullaney, M. D., Jr. 1994. Ontogenetic shifts in the diet of gag. *Proc. Gulf Carib. Fish. Inst.* 43:446-455.
136. Mullaney, M. D., Jr. 1990. Ontogeny of feeding and functional feeding morphology in the gag, *Mycteroperca microlepis*. *70th. Annual Meeting American Society of Ichthyologists and Herpetologists. College of Charleston, Charleston, SC.* 133.
137. Mundaray, E. and J. E. Perez. 1988. Ambiente y parametros sanguineos en dos especies sibilinas de peces. *Acta Cient. Venez.* 39(2):181-183.
138. Munro, J. L. 1983. Some advances and developments in coral reef fisheries research – 1973-1982. *Proc. Gulf Carib. Fish. Inst.* 35:161-178.

139. Munro, J. L. 1983. Caribbean coral reef fishery resources. *ICLARM Studies and Reviews*. 7:276.
140. Munro, J. L. 1983. Progress in coral reef fisheries research, 1973-1982. Pages 249-265, in J.L. Munro, ed. *Caribbean coral reef fishery resources*. ICLARM Stud. Rev. 7.
141. Munro, J. L. 1983. Biological and ecological characteristics of Caribbean reef fishes. Pages 223- 231, in J.L. Munro, ed. *Caribbean coral reef fishery resources*. ICLARM Stud. Rev. 7.
142. Munro, J. L. 1983. Assessment of the potential productivity of Jamaican Fisheries. Pages 232-248, in J.L. Munro, ed. *Caribbean coral reef fishery resources*. ICLARM Stud. Rev. 7.
143. Munro, J. L. 1987. Workshop synthesis and directions for future research. Pages 639-659, in J.J. Polovina, and S. Ralston, ed. *Tropical snappers and groupers. Biology and fisheries management*. Westview Press, Boulder, CO. and London.
144. Munro, J. L. and D. M. B. Williams. 1985. Assessment and management of coral reef fisheries – Biological, environmental and socio-economic aspects. *Proc. Fifth Inter. Coral Reef Symp., Tahiti*. 4:545-581.
145. Nagelkerken, W. P. 1977. Notes on juveniles of some groupers in Curacao and Bonaire. *Proc. Assoc. Isl. Mar. Lab. Caribb., Santa Marta, Colombia*. 13:24.
146. Nagelkerken, W. P. 1978. Some aspects of transitionals of the grouper. *Proc. Assoc. Isl. Mar. Lab. Caribb., Santo Domingo, Republica Dominicana*. 14:21.
147. Nagelkerken, W. P. 1979. Biology of the graysby, *Epinephelus cruentatus*, of the coral reef of Curacao. *Stud. Fauna Curacao other Caribb. Isl.* 60:1- 118.
148. Nagelkerken, W. P. 1981. Distribution and ecology of the groupers (Serranidae) and Snappers (Lutjanidae) of the Netherlands Antilles. *Uitgaven natuurw. Studkring Suriname*. 107:1-71.
149. Nagelkerken, W. P. 1982. Distribution of the groupers and Snappers of the Netherlands Antilles. *Proc. Fifth Inter. Coral Reef Symp., Tahiti* 4 (2):479-484.
150. Naughton, S. P. and C. H. Saloman. 1985. Food of gag (*Mycteroperca microlepis*) from North Carolina and three areas of the Florida. U.S. Dept. Commer., NOAA Tech. Memo. NMFS, NOAA-TS-NMFS-SEFC. 160:1-36.
151. Olsen, D. A. and J. A. La Place. 1979. A study of a Virgin Islands grouper fishery based on a breeding aggregation. *Proc. Gulf Caribb. Fish. Inst.* 31:130-144

Non-Peer Reviewed Section

152. Parish, J. D. 1987. The trophic biology of snappers and groupers. Pages 405-463, in J.J. Polovina, and S. Ralston, ed. *Tropical snappers and groupers. Biology and fisheries management*. Westview Press, Boulder, CO. and London.
153. Pauly, D. 1978. *A preliminary compilation of fish length growth parameters*. Ber. Inst. Meereskd. Christian - Albrechts, Univ. Keil. 55:200 pp.
154. Pauly, D. 1980. On the interrelationships between natural mortality, growth parameters, and mean environmental temperature in 175 fish stocks. *J. Cons. Cons. Int. Explor. Mer.* 39:195-212.
155. Pauly, D. 1986. A simple method for estimating the food consumption of fish populations from growth data and food conversion experiments. *U.S. Fish Wildl. Serv. Fish. Bull.* 84(4):827-840.
156. Pearl, S., R. D. Sanders, J. M. Shenker, and P. L. Colin. 1990. Laboratory study of territorial behavior in post-larval Nassau grouper (*Epinephelus striatus*). *70th. Annual Meeting American Society of Ichthyologists and Herpetologists. College of Charleston, Charleston, SC.* 140.
157. Perez, A. 1982. Desarrollo gonadal del mero tofia, *Epinephelus guttatus* en el Archipiélago de Los Roques. Trabajo especial de grado. Escuela de Biología, Univ. Central de Venezuela, 44 pp.
158. Petersen, C. W. and E. A. Fischer. 1986. Mating system of the hermaphroditic coral-reef fish, *Serranus baldwini*. *Behav. Ecol. Sociobiol.* 19(3) – 171-178.
159. Polovina, J. J. and S. Ralston (eds.). 1987. *Tropical snappers and groupers. Biology and fisheries management*. Westview Press, Boulder, CO and London. 659 pp.
160. Posada, J. M. 1992. Los recursos pesqueros del Parque Nacional Archipiélago de Los Roques, Venezuela *Proc. Gulf Carib. Fish. Inst.* 41:79-92.
161. Pressley, P. H. 1981. Pair formation and joint territoriality in a simultaneous hermaphrodite – The coral reef fish *Serranus tigrinus*. *Zeitschrift Tierpsychol.* 56(1):33-46.
162. Radakov, D. V., A. D. Mochek, N. Sbikin, and A. F. Silva Lee. 1979. Interrelationship of group behaviour in fish to their other biological features. *Vopr. Ikhtiol.* 19(2):376-379.
163. Ralston, S. 1987. Mortality rates of snappers and groupers. Pages 375-404, in J.J. Polovina, and S. Ralston, ed. *Tropical snappers and groupers. Biology and fisheries management*. Westview Press, Boulder, CO and London.
164. Rios, L. V., M. C. Zetina, J. R. Solana, and S. F. Arreguin. 1990. La pesquería costera de mero (*Epinephelus morio*). *Proc. Assoc. Isl. Mar. Lab. Caribb. La Habana.* 23:152.

165. Robbins, S. F. 1971. A the edge of the tide - Curacao, the reef at Santa Marta Bay. *Massachusetts Audubon*. 55(3):40-42.
166. Roberts, D. E. Jr., C. W. Dennis, J. H. Landsberg, G. Harrington, and A. Burke. 1994. Captive broodstock management and photothermal induction of gonadal maturation in gag and jewfish for controlled production of fry. *Proc. Gulf Carib. Fish. Inst.* 43:429-430.
167. Roberts, D. E., and R. A. Schlieder. 1983. Induced sex inversion, maturation, spawning and embryogeny of the protogynous grouper, *Mycteroperca microlepis*. *J. World Maricult. Soc.* 14:639-649.
168. Robins, C. R. and G. C. Ray 1986. *A field guide to Atlantic Coast fishes of North America*. Houghton Mifflin Company, Boston, 354 pp.
169. Rogers, S. G., H. T. Langston, and T. E. Targett. 1986. Anatomical trauma to sponge-coral reef fishes captured by trawling and angling. *Fish. Bull.* 84(3):697 -704.
170. Rosario, A. 1989. Fisheries-independent monitoring of commercially exploited reef fish and spiny lobster resources in Puerto Rico. Annual Completion Report. Fisheries Research Laboratory, CODREMAR. 114 pp.
171. Ross, J. L., J. S. Pavela, and M. E. Chittenden, Jr. 1989. Food habits of the rock sea bass, *Centropristis philadelphica*, in the western Gulf of Mexico. *Northeast Gulf Sci.* 10(2):139-152.
172. Ross, S. W. 1988. Xanthic coloration as the normal color pattern of juvenile speckled hind, *Epinephelus drummondhayi* (Pisces - Serranidae). *Copeia*. 1988(3):780-784.
173. Sadovy, Y. 1994. Grouper stocks and their management in the Caribbean. *Proc. Gulf Carib. Fish. Inst.* 43:43-64.
174. Sadovy, Y. and P. Colin. 1990. Hermaphroditism in the Nassau grouper, *Epinephelus striatus*. 70th. Annual Meeting American Society of Ichthyologists and Herpetologists. College of Charleston, Charleston, SC. 154.
175. Sadovy, Y., M. Figuerola, and A. Roman. 1989. The age and growth of the red hind, *Epinephelus guttatus*, and the white grunt, *Haemulon plumieri*, in Puerto Rico and the U.S. Virgin Islands. Final report submitted to the Caribbean Fishery Management Council. August, 1989. 65 pp.
176. Sadovy, Y. and M. Figuerola. 1994. The status of the red hind fishery in Puerto Rico and St. Thomas, as determined by yield-per-recruit analysis. *Proc. Gulf Carib. Fish. Inst.* 42:23-38.
177. Schlieder, R. Unpub. Age, growth and reproduction of the gag grouper, *Mycteroperca microlepis* (Pisces - Serranidae), from the eastern Gulf of Mexico. Fla. Dep. Nat. Res. Mar. Lab., St. Petersburg, FL 33701-5095.

178. Schroeder, W. C. 1923. Fisheries of Key West and the clam industry of southern Florida. U.S. Bur. Fish. Doc. 962 (app. 12 to Rep. U.S. Comm. Fish. 1-74.
179. Sedberry, G. R. 1988. Food and feeding of black sea bass, *Centropristis striata*, in live bottom habitats in the South Atlantic Bight. *J. Elisha Mitchell Soc.* 104(2):35-50.
180. Shapiro, D. Y. 1984. Detrimental effects of intensive fishing over spawning aggregations of a commercially important grouper. Sea Grant Proj. R/LR-06-1. Annu. Rep. 12.
181. Shapiro, D. Y. 1986. Male-female differences in space use in two sex-changing fishes. *Progress Underwat. Sci.* 11:61-68.
182. Shapiro, D. Y. 1987. Reproduction in groupers. Pages 295-327, in J.J. Polovina, and S. Ralston, ed. *Tropical snappers and groupers. Biology and fisheries management.* Westview Press, Boulder, CO. and London.
183. Shapiro, D. Y. and Y. Sadovy. 1994. Size, composition, and internal structure of spawning aggregations of the red hind. *Proc. Gulf Caribb. Fish. Inst.* 43:402.
184. Silva Lee, A. F. 1977. Nota sobre la coloracion y la conducta de la cherna criolla, *Epinephelus striatus* Bloch. *Informe Cient-tec. Acad. Cienc. Cuba.* 14:1-8.
185. Smith, C. L. 1982. Patterns of reproduction in coral reef fishes. Pages 49-66, in G.R. Huntsman, W.R. Nicholson, and W.W. Fox, Jr., ed. *The biological bases for reef fishery management.* U.S. Dept. Commer., NOAA Tech. Memo. NMFS, NOAA-TS-NMFS-SEFC-80.
186. Smith, G. B. 1988. Abundance and potential yield of groupers (Serranidae), snappers (Lutjanidae) and grunts (Haemulidae) on the Little and Great Bahama banks. Western Central Atlantic Fishery Commission, National reports and selected papers presented at the fifth session of the working party on assessment of marine fisheries resources, Saint George, Bermuda. FAO Fish. Rep. 376:84-105.
187. Smith, G. B. and L. H. Bullock. 1979. Xanthic specimens of the speckled hind, *Epinephelus drummondhayi* (Serranidae) from the eastern Gulf of Mexico. *Florida Scient.* 42(4):252-253.
188. Stephens, W. M. 1963. The fish that needs no mate. *Sea Fron.* 9:55-61.
189. Sterrer, W. 1986. *Marine fauna and flora of Bermuda.* John Wiley and Sons, Inc. 742 pp.
190. Stevenson, D. K. 1976. *Determination of maximum yield conditions from length frequency data for a tropical fish pot fishery.* 195 pp Ph.D. Dissertation. Univ. Rhode Island, Rhode Island.
191. Stevenson, D. K. 1978. Management of a tropical fish pot fishery for maximum sustainable yield. *Proc. Gulf Carib. Fish. Inst.* 30:95-115.

192. Stevenson, D. K. and P. Stuart-Sharkey. 1980. Performance of wire fish traps on the western coast of Puerto Rico. *Proc. Gulf Carib. Fish. Inst.* 32:173-193.
193. Struhsaker, P. 1969. Demersal fish resources – Composition, distribution, and commercial potential of the continental shelf stocks off southeastern United States. *Indus. Res.* 4(7):261-300.
194. Sullivan, K. M. 1994. Energetics of juvenile *Epinephelus* groupers – Impact of summer temperatures and activity patterns on growth rates. *Proc. Gulf Carib. Fish. Inst.* 43:148-167.
195. Taylor, D. D. and T. J. Bright. 1973. The distribution of heavy metals in reef dwelling groupers in the Gulf of Mexico and Bahama Islands. Texas A. & M. Univ. Sea Grant Publ. TAMU-SG-73-208. 1-249.
196. Terpin, K. M., M. C. Wyllie, and E. R. Holmstrom. 1977. Temperature preference, avoidance, shock and swim speed studies with marine and estuarine organisms from New Jersey. Report for the period January-December 1976. *Ichthyol. Assoc. Inc. Bull.* 17:1-86.
197. Thompson, R. and J. L. Munro. 1983. The biology, ecology and bionomics of the hinds and groupers, Serranidae. Pages 59-81, in J.L. Munro, ed. *Caribbean coral reef fishery resources*. ICLARM Stud. Rev. 7.
198. Thresher, R. E. 1975. Caribbean basslets. *Mar. Aquar.* 6(2):31-40.
199. Thresher, R. E. 1976. Hamlets. *Mar. Aquar.* 7:21-28.
200. Thresher, R. E. 1984. Reproduction in reef fishes. Part 2. Sea basses (Serranidae – Serraninae). *Trop. Fish. Hobbyist.* 33(3):44-45.
201. Touart, L. W. and S. A. Bortone. 1980. The accessory reproductive structure in the simultaneous hermaphrodite, *Diplectrum bivittatum*. *J. Fish. Biol.* 16(4):397-403.
202. Tucker, J. W., Jr. 1989. Energy utilization in bay anchovy, *Anchoa mitchilli* and black sea bass, *Centropristis striata striata*, eggs and larvae. *U.S. Fish. Bull.* 87(2):279-293.
203. Tucker, J. W., Jr. 1984. Hormone-induced ovulation of black sea bass and rearing of larvae. *Prog. Fish-cult* 46(3):201-203.
204. Tucker, J. W., Jr. and P. C. Woodward. 1994. Growth and development of domestic juvenile Nassau groupers. *Proc. Gulf Carib. Fish. Inst.* 43:389-391.
205. Valdez, E. and G. Padron. 1980. Pesquerias de palangre en el banco de Campeche, Golfo de Mexico. *Rev. Cub. Invest. Pesq.* 5(2):38-48.
206. Valdez, E. 1989. Registros adicionales de peces para el archipiélago cubano. *Poeyana Inst. Zool. Acad. Cienc. Cuba.* 364:1-8.
207. Van Sant, S. B., M. R. Collins, and G. R. Sedberry. 1994. Reactions of gag to injections of Oxytetracycline, and preliminary evidence for a spawning migration. *Proc. Gulf Caribb. Fish. Inst.* 43:417-428.

208. Waltz, W., W. A. Roumillat, and P. K. Ashe. 1979. Distribution, age structure and sex composition of the black sea bass, *Centropristis striata*, sampled along the southeastern coast of the United States. *South Carolina Mar. Resour. Cent. Tech. Rep.* 43:1-18.
209. Weber, A. M. and P. T. Briggs. 1983. Retention of black sea bass (*Centropristis striata*) in vented and unvented lobster (*Homarus americanus*) traps. *N.Y. Fish. Game J.* 30(1):67-77.
210. Wenner, C. A., W. A. Roumillat, and C. W. Waltz. 1986. Contributions to the life history of black sea bass, *Centropristis striata*, off the southeastern USA. *U.S. Fish. Bull.* 84(3):723-742.
211. Zetina, C. E., G. V. Rios, R. Solana, and S. F. Arreguin. 1990. Distribucion probabilistica de la CPUE del mero (*Epinephelus morio*) por la flota menor de la costa norte de Yucatan. *Proc. Assoc. Isl. Mar. Lab. Caribb., La Habana.* 23:154.
212. Zupanovic, S. and P. Gonzalez. 1975. Investigacion y pesqueria de la cherna en el Banco de Campeche. *Mar y Pesca.* 112:22-27.